



Sensors > Pressure Sensors > Board Mount Pressure Sensors > Ultra-low Pressure Digital Sensor



Pressure Sensor Type: **Digital Pressure and Altimeter Sensor Modules**

Pressure Type: **Gauge**

Proof Pressure Range: **.07 bar**

Output Signal Type: **16 bit I2C**

Pressure Accuracy: **±1.5% F.S**

[All Ultra-low Pressure Digital Sensor \(24\)](#)

Features

Product Type Features

Pressure Sensor Type	Digital Pressure and Altimeter Sensor Modules
Pressure Type	Gauge
Sensor Package	SOIC-16

Operation/Application

Proof Pressure Range	.07 bar
Output Signal Type	16 bit I2C
Pressure Accuracy	±1.5% F.S
Output Interface	I2C

Electrical Characteristics

Supply Voltage Range	3 V
----------------------	-----

Usage Conditions

Operating Temperature Range	-20 – 85 °C[-4 – 185 °F]
-----------------------------	--------------------------

Other

Sensor Options	Barb Tube, No Option
EU RoHS Compliance	Compliant



EU ELV Compliance	Compliant
-------------------	-----------

Dimensions

Product Width	10.31 mm[.405 in]
Product Length	10.26 mm[.403 in]
Product Height	9.32 mm[.366 in]

Packaging Features

Sensor Port Configuration	Dual Vertical
---------------------------	---------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-BLPS0062
Ultra-low Pressure Digital Sensor

Also in the Series | **SMI 9000**



Board Mount Pressure Sensors(24)

Customers Also Bought



TE Part #3-647166-5
PCB Header: Nylon, Vertical, Surface Mount, MTA 100



TE Part #1-1393210-4
T9AS1D12-15



TE Part #640455-4
04P MTA100 HDR ASSY SQ R/A POL



TE Part #4515-DS5A002DP
2IN DP PRESSURE SENSOR 10% TO 90%



TE Part #2305908-2
SMT TB R/A HEADER, 5.0MM, 2 POS



TE Part #2334884-1
UMCC Micro-Coax receptacle, Gen 4



TE Part #CONSMA024-G
SMA Jack 50 Ohm PCB Edge Mount



TE Part #9233-BCE-S-250-000
250PA DIFF. DIGITAL PRESSURE SENSOR

Documents

[CAD Files](#)

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_9236-BCE-S-600-000_1.2d_dxf.zip](#)

[English](#)



Customer View Model

[ENG_CVM_CVM_9236-BCE-S-600-000_1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_9236-BCE-S-600-000_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SM9000](#)

English